DROP FORGED COUPLERS

Drop Forged Double Coupler - Right Angle



Features

Used for Connection of 2 tubes (48.3) at right angles
Nut Size - 1/2" BSW X 21mm
Flange Nut Z2, 23 mm available
Nut Bolts - 1/2" BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000 Pcs/Pallet

Drop Forged Swivel Coupler



Features

Used for Connection of 2 tubes (48.3) at right angles
Nut Size - 1/2" BSW X 21mm
Flange Nut Z2, 23 mm available
Tee Bolts - 1/2" BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000 Pcs/Pallet

Drop Forged Single Coupler (Put Log)



Features

Used for Connection of Pallog & Transoms to ledgers
Nut Size - 1/2" BSW X 21mm
Half Tee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 1250 Pcs/Pallet

Drop Forged Board Retaining Coupler



Features

Used for Connection of 2 tubes & Securely Locking the Boards in Correct positions
Nut Size - 1/2" BSW X 21mm
Half Tee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 1250 Pcs/Pallet

DF Light Duty Duel Coupler (American)-Right Angle



Features

Used for Connection of 2 tubes at right angles
Wide Cap (American)
Flange Nut - 1/2" BSW Thread X22 mm Available
Boron Steel
For 48.3 / 42.0 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

DF Light Duty Duel Coupler (American) - Swivel



Features

Used for Connection of 2 tubes at right angles
Wide Cap (American)
Flange Nut - 1/2" BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 / 42.0 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

DF Heavy Duty Double Coupler (American)

Features



Used for Connection of 2 tubes at right angles
Nut Size - 1/2" BSW X 21mm
Flange Nut - 1/2" BSW Thread X22 mm Available
Flange Nut - 1/2" BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 / 42.0 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

DF Heavy Duty Swivel Coupler (American)

Features



Used for Connection of 2 tubes at right angles
Nut Size - 1/2" BSW Thread X22 mm Available
Flange Nut - 1/2" BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 / 42.0 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

Drop Forged Beam Clamp - Fixed



Features

Nut Size - 1/2" BSW X 21mm
Available Flange Nut Size- 22, 23 mm
Tee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
Hex Bolt- 5/8" x 35mm (Mild Steel) Head 21mm
For 48.3 OD tube Size
Finish - Zinc Plated

Drop Forged Beam Clamp - Swivel



Features

Nut Size - 1/2" BSW Thread X 21mm
Available Flange Nut Z2, 23 mm
Tee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
Hex Bolt - 5/8" x 35mm (Mild Steel) Head 21mm
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 800 Pcs/Pallet

DROP FORGED COUPLERS

Drop Forged Half Coupler



Features
Versatile range of half couplers for a variety of application require the clamping of a single tube
Nut Size - 1/2" BSW Thread x 21mm
Available Nut Size - 22/23mm
Available Range Nut Size - 22/23mm
Tee Bolts - 1/2" BSW Thread
Available Nut Mid Steel or Boron Steel
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000 Pcs/Pallet

Drop Forged Half Coupler (With Toggle Bolt)



Features
Versatile range of half couplers for a variety of application require the clamping of a single tube
Tee Bolts - M14 Thread
Avalable Nut Size - M14 Steel or Boron Steel
Flange Nut Size - M14 Thread x 22mm
Toggle Nut Size - M14 Thread x 55mm
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000 Pcs/Pallet

Drop Forged Half Coupler (With U Bracket)



Features
Versatile range of half couplers for a variety of application require the clamping of a single tube
Nut Size - 1/2" BSW Thread x 21mm
Bracket Size -55mm Tube
Tee Bolts - 1/2" BSW Thread
Available in Mid Steel or Boron Steel
For 48.3 / 42.0 OD tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1500Pcs/Pallet

Droped Forged Half Coupler (With Toggle Pin)



Features
Versatilerange of half couplers for a variety of application require the clamping of a single tube
Flange Nut Size - M14 Thread x 22 mm
Tee Bolts - M14 Thread
Available in Mid Steel or Boron Steel
Toggle Pin - 55mm x 16mm
For 48.3 OD tube Size
Finish - Zinc Plated

Droped Forged Square Half Coupler



Features
Versatilerange of half couplers for a variety of application require the clamping of a single tube
Flange Nut Size - M14 Thread x 22mm
Tee Bolts - M14 Thread
Available in Mid Steel or Boron Steel
Toggle Pin - 55mm x 16mm
For 48.3 OD tube Size
Finish - Zinc Plated
Std. Packing - 50Pcs/Bag, 1500 Pcs/Pallet

DF Swivel Coupler Powder Coating



Features
Used for connection of 2 Tubes (48.3) or any angle
Nut Size-1/2" BSW x 21 mm
Flange Nut 22.23mm or Boron Steel
Tee Bolts - 1/2" BSW Thread
Available in Mid Steel or Boron Steel
For 48.3 OD tube Size
Finish - Powder Painted
Std. Packing - 25Pcs/Bag, 1000Pcs/Pallet

Drop Forged RAC Coupler, 48x60mm



Features
Used for Connection of 2 tubes at right angles
Nut Size-1/2" BSW x 21 mm
Flange Nut 22.23mm Available
Tee Bolts - 1/2" BSW Thread
Available in Mid Steel or Boron Steel
Finish - Electro Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

Drop Forged Swivel Coupler, 48x60mm



Features
Used for Connection of 2 tubes at any angle
Nut Size-1/2" BSW x 21 mm
Flange Nut 22.23mm Available
Tee Bolts - 1/2" BSW thread
Available in Mid Steel or Boron Steel
Finish - Electro Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

Drop Forged RAC Coupler, 76x76mm



Features
Used for connection of 2 tubes at right angles
Flange Nut 22mm
Tee Bolts - Botl M14 x 85mm
Finish - Hot Dip Galvanized
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Drop Forged Swivel Coupler, 76x76mm



Features
Used for connection of 2 tubes at any angles
Nut Size-1/2" BSW x 21mm
Tee Bolts - Botl M14 x 85mm
Finish - Hot Dip Galvanized
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

DROP FORGED COUPLERS

Drop Forged RAC Coupler, 76x60mm



Features

Used for connection of 2 tubes at right angles
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Flange Nut 22mm
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Drop Forged Swivel Coupler, 76x60mm



Features

Used for connection of 2 tubes at any angle
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Flange Nut 22mm
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Drop Forged RAC Coupler 76x48mm



Features

Used for connection of 2 tubes at right angles
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Flange Nut 22mm
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Drop Forged Swivel Coupler 76x68mm



Features

Used for connection of 2 tubes at any angle
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Finish - Hot Dip Galvanized
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Drop Forged RAC Coupler 60x60mm



Features

Used for connection of 2 tubes at right angles
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Finish - Hot Dip Galvanized
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Drop Forged Swivel Coupler 60x60mm



Features

Used for connection of 2 tubes at any angle
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Finish - Hot Dip Galvanized
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Droped Forged RAC Coupler, EU Model



Features

Used for connection of 2 tubes at right angles
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Finish - Hot Dip Galvanized
Std. Packing - 20Pcs/Bag, 1000 Pcs/ Pallet

Droped Forged Swivel Coupler, EU Model



Features

Used For Connection of 2 tubes at Any angles
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm

DF Welded Tube on Tube Clamp



Features

Droged ForgedCouplers
Size : 48.3 x 48.3mm
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Finish - Hot Dip Galvanized
Packing : 20Pcs / Bag, 1000 Pcs/ Pallet

DF Half Couplers With V Pressing



Features

Droged ForgedCouplers
Size : 48.3 x 48.3mm
Flange Nut 22mm
Tee Bolts - Bolt M14 x 85mm
Finish - Hot Dip Galvanized
Packing : 20Pcs / Bag, 1000 Pcs/ Pallet

PRESSED STEEL COUPLERS

Pressed Double Coupler - Right Angle



Features

Used for connection of 2 Tubes at Right angles
Nut Size 1/2" BSW Thread x 21 mm
Available Nut Sizes - 22/25mm
Nut Size - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
Available in Light Weight also
Finish - Finated
Std. Packing - 25 Pcs/Bag, 1000 Pcs/Pallet

Pressed Coupler-Swivel



Features

Used for connection of 2 Tubes at any angle
Nut Size 1/2" BSW Thread x 21 mm
Available Nut Sizes -22/25mm
1ee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
Available in Light Weight also
Finish - Finated
Std. Packing - 25 Pcs/Bag, 1000 Pcs/Pallet

Pressed Single /Put Log Coupler



Features

Used for External Connection of Pallets & Transoms to Ledgers
Nut Size - 1/2" BSW Thread x 21mm
Half 1ee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
For 48.3 00 tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 1250 Pcs/Pallet

Pressed Board Retaining Coupler



Features

Used for external Coupler 6.Securely Looking the boards in correct positions
Nut Size - 1/2" BSW Thread x 21mm
Half 1ee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
For 48.3 00 tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 1250 Pcs/Pallet

Pressed Sleeve Coupler



Features

UsedforExternalConnection of two trubes End to End
Has Bolts - 15mm Length,Head size21mm
Nut Size - 1/2" BSW Thread x 21mm
1ee Bolts - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
For 48.3 00 tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 1250 Pcs/Pallet

Pressed Parallel / Fence Coupler



Features

Used for Clamping 2 standard scaffold tubes in parallel
Nut Size - 1/2" BSW Thread x 21mm
Bolt - 1/2" BSW x 80mm Length, available in Mild Steel
For 48.3 00 tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000Pcs/Pallet

Pressed Joint Pin Coupler



Features

Usedforinternalconnection End to End
Has Bolts - 15mm Length,Head size 21mm
Nut Size - 1/2" BSW Thread
for 48.3 00 tube Size
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 1000 Pcs/Pallet

Pressed Half Coupler



Features

Versatile range of half coupler for a variety of applications requiring the clamping of a single tube
Nut Size - 1/2" BSW Thread x 21mm
Nut Size - 1/2" BSW Thread x 22/25mm
Nut Size - 1/2" BSW Thread
Nut Size - 1/2" BSW Thread,
Available in Mild Steel or Boron Steel
For 48.3 00 tube Size
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000Pcs/Pallet

Pressed Girder Coupler 50mm



Features

Nut Size - 1/2" BSW x 21 mm
Hex Bolt - 5/8" x 16mm (Mild Steel)
Eye Bolt Size - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 800 Pcs/Pallet

Pressed Girder Coupler 75mm



Features

Nut Size - 1/2" BSW x 21 mm
Hex Bolt - 5/8" x 16mm (Mild Steel)
Eye Bolt Size - 1/2" BSW Thread
Available in Mild Steel or Boron Steel
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 800 Pcs/Pallet

PRESSED STEEL COUPLERS

Pressed Girder Coupler 100mm



Features

Nut Size - 1/2" BSW x 21 mm
Hex Bolt - 5/8" x 76mm (Mid Steel)
Eye Bolt Size - 1/2" BSW Thread
Available in Mid Steel or Boron Steel
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 800 Pcs /Pallet

Pressed Spring Clamp



Features

ForRed Size:4mm to 10mm
Finish - Zinc Plated

Pressed Ladder Clamp



Features

Cated Fly Nut Size - M12 Thread
Bolt - Mid Steel
For 48.3 00 Tube Size
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 1000 Pcs/Pallet

Pressed Toe Board Clamp



Features

1/2" BSW x 20.5mm
Bolt - 1/2" BSW Thread
Available in Mid Steel
For 4.8 3.00 Tube Size
Finish - Zinc Plated
Std. Packing - 25 Pcs/Bag, 1000Pcs/Pallet

Pressed Double Coupler - Right Angle 48x60mm



Features

Used for connection of 2 tubes at right angles
Nut Size - 1/2"BSW x 21mm
Available Nut Size : 22.23
1ee Bolts - 1/2" BSW Thread,
Available in Mid Steel or Boron Steel
For 4.8 3.00 Tube Size
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 1000Pcs/Pallet

Pressed Swivel Coupler - 48x60mm



Features

Used for connection of 2 tubes at any angle
Nut Size - 1/2"BSW x 21mm
Available Nut Size : 22.23
1ee Bolts - 1/2" BSW Thread,
Available in Mid Steel or Boron Steel
For 4.8 3.00 Tube Size
Finish - Zinc Plated
Std. Packing - 25Pcs/Bag, 1000Pcs/Pallet

Pressed Double Coupler - Right Angle 40x60mm



Features

Used for connection of 2 tubes at right angles
Nut Size - 1/2"BSW x 21mm
Available Nut Size : 22.23
1ee Bolts - 1/2" BSW Thread,
Available in Mid Steel or Boron Steel
For 4.8 3.00 Tube Size
Finish - Zinc Plated
Std. Packing - 25Pcs/Bag, 1000Pcs/Pallet

Pressed Swivel Coupler - 40x60mm



Features

Used for connection of 2 tubes at any angle
Nut Size - 1/2"BSW x 21mm
Available Nut Size : 22.23
1ee Bolts - 1/2" BSW Thread,
Available in Mid Steel or Boron Steel
For 4.8 3.00 Tube Size
Finish - Zinc Plated
Std. Packing - 25Pcs/Bag, 1000Pcs/Pallet

Pressed Fence Coupler



Features

Size : 42mm
Heavy 2mm Thickness
Finish - Het ProBakened / Electro Zinc Plated
Packing - 50 Pcs/Bag

Pressed Universal Clamp



Features

Ideal for formwork Applications
Bolt Size - 130mm Length x Thread 1/2" BSW Available in Mid Steel
Nut Size 1/2" BSW x 21mm
Finish - Zinc Plated
Std. Packing - 50Pcs/Bag, 1000Pcs/Pallet

ACCESSORIES

Snap Loc Pin



Features

300/A - Machined
300/B - Forged Head
Size : 12mm x50mm
S. 16mm x50mm
Finish - Zinc Plated

Timber Walling Clamp



Features

Material - MidSteel
Finish- Electropated

D-Pin



Features

Color Forged, Made of Boron Steel
Finish - Zinc Finish
Finish- Zinc Plated

Pin with Lock 16x100mm



Features

Grade 8.8 Boron steel, Heat treated
Size : 16 x 100mm
Finish : Electro Zinc Plated
Packing : 125 Pcs/bag, 7000 Pcs/Pallet

Drop Forged Wedge Plate (For Drop Head)



Features

Drop Forged MidSteel
Finish - Self Finish
Packing : 25 Pcs/Bag, 1500 Pcs/Pallet

Scaffolding Spanner



Features

Size : 22mm
Finish - Chrome Plated
Packing : 100pcs / bag, 5000 Pcs / Pallet

Drop Forged Jack Nut



Features

Sizes-32,38mm
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000Pcs/Pallet

Ladder Coupler



Features

Nut Size - 1/2" BSW x 21 mm
Heat Bolt - 5/8" x 36mm (Mid Steel)
Eye Bolt Size - 1/2" BSW Thread
Available in Mid Steel or Boron Steel
Finish - Zinc Plated
Std. Packing - 20 Pcs/Bag, 800 Pcs /Pallet

Drop Forged Prop Nut (Heavy Duty)



Features

Thread - 4 TPI
For 643 00 Tube
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000 Pcs/Pallet

Casted Jack Nut



Features

Sizes-32,38mm
Finish - Zinc Plated
Std. Packing - 50 Pcs/Bag, 2000Pcs/Pallet

ACCESSORIES

DF Double Jack Nut 48/60mm Tubes



Features

Mid Steel
Thread - 4TPI
Size: 38mm & 36mm
Thread Electro Zinc Plated
Packing : 40 Pcs/Bag, 1600 Pcs/Pallet

Drop Forged Jack Nut Deep 38mm



Features

Mid Steel
Thread -4TPI
Size - 38mm
Finish - 2mo Plated
Packinh : 50 pcs/Bag, 1500 pcs/Pallet

Drop Forged Jack Nut 38mm - V type



Features

Size - 48mm
Finish : Self Finish / Hot Dip Galvanized / Electro Plated
Packing : 40pcs/bag

Drop Forged Jack Nut 48mm - D type



Features

Size: 48mm
Finish : Self Finish / Hot Dip Galvanized / Electro Zinc Plated
Heavy Duty
Grade - S355 (H1)
Packing : 25 pcs/Bag, 1500 pcs/Pallet

Casted Diamond Nut



Features

Size : 48mm
Finish : Self
Std. Packing : 50Pc /Bag
1500 Pcs/ Pallet

Jack Nut With Key Nut



Features

Size : 38mm
Finish : Self or Zinc Plated
Std. Packing : 50Pc /Bag
1500 Pcs/ Pallet

Forged Nut



Features

Drop Forged Mild Steel
Thread - 4TPI
Size- 48mm
Finish- Electro Zinc Plated
Packing : 40Pcs/Bag, 2000Pcs/Pallet

Conical Jack Nut



Features

Size : 38mm
Finish : HDB/2P/Self

Prop Sleeve / Forged Nut / G Pin



Features

Prop Sleeve
16mm x 48mm x 300mm
76mm x 3.2mm x 300mm
Thread 4TPI Nut
Drop Forged Prop Nut Heavy Duty 76mm
G Pin - 16mm

Cup Nut



Features

Size : 26mm, 28mm, 30mm, 34mm
Finish : Self or Zinc Plated
Std. Packing : 200Pc /Bag

ACCESSORIES

Drop Forged Nut (Light Duty) With Handle



Features

Drop Forged Nut 4TPI Handle
Handle- 12mm x 150mm
For 40.3 00 Tube
Finish - 2inc Plated
Std. Packing - 50Pcs/Bag, 2000Pcs/Pallet

Shuttering Clamp



Features

Mild SteelforColumn Farmwork
Size - 2.1/2".3".4"
Finish- Painted Black or self Finish
Std. Packing - Bundles Only

Prop Nut with Handle L&T Type



Features

Casted - 4TPI
Tube Size - 40.3 00
Handle Size - 16mm
Self Finish
Std. Packing - 20Pcs/Bag

Prop Nut With Handle- Heavy



Features

Casted
Thread - 4 TPI
Handle Size - 16mm
Self Finish
Std. Packing - 50Pcs/Bag

Drop Forged Prop Nut 76mm



Features

Drop ForgedMildSteel
Thread - 4TPI
Size - %3mm
Finish - Electro Zinc Plated
Packing : 20 Pcs/Bag, 1400Pcs/Pallet

Prop Nut with Handle - Light



Features

Casted
Thread - 4 TPI
Tube Size - 40.3 00
Handle Size - 12mm
Finish - 2inc Plated
Std. Packing - 50 Pcs/Bag, 1000 Pcs/Pallet

Prop Sleeve



Features

Size - 220 x 40.3 00
Thickness available - 2.9 / 3.0 / 3.2 mm
Railed Thread - 4 TPI
Slot Size - 150 x 15mm
Finish - Self Finish or Electroplated

Drop Forged Prop Nut



Features

Drop Forged Nut4 TPI Handle
For 40.3 00 Tube
Thinness available - 2.9 /3.0 3.2 mm
Std. Packing - 50 Pcs/Bag, 2000 Pcs/ Pallet

Prop Nut - Heavy



Features

Casted
Thread - 4 TPI
Self Finish
Std. Packing - 50Pcs/Bag

Prop Sleeve With Nut and Handle



Features

Length - 220mm
For Tube Size - 40.3 00
Thinness available - 2.9 /3.0 3.2 mm
Prop Nut - MC 4 TPI
Handle Size - 150 x 12mm
Finish - 2inc Plated or Self Finish
Drop Forged Drop Nut also Available

ACCESSORIES - TIE ROD

Waller Plate



Features
120 x 120 x 5mm / 6mm / 7mm / 8mm
Hole Size - 17mm
Finish - Finish - Golden Electroplated or Self Finish
Std. Packing - 25pcs/Bundle

Wing Nut



Features
Thread 2.5 TPI
15, 17, 20 mm OD
Finish - Golden Electroplated or Self Finish
Std. Packing - 100Pcs/Bag

Gogo Clamp



Features
Casted with a Hex Bolt of 5/8"
Self finish
Std. Packing - 100 Pcs/Bag

Hex Tie Nut



Features
Mild Steel
Thread - 2.5 TPI
Length Available - 50mm, 100mm, 105mm
Finish - Electroplated for tie rod
of 15/17mm OD1
Std. Packing - 100Pcs/Bag

Water Stopper



Features
Casted with the Thread 2.5 TPI
Finish - Electroplated or Self Finish
Available in 350gm, 380gm, 420gm, 500gm
Std. Packing - 50 Pcs/Bag

Welded Hex Bolts (Tie Rod Thread)



Features
Mild Steel
Casted Flange Nut, Welded Hex Nut
14x120mm, 14x80mm, 19x80mm
Finish-Electro Zinc Plated
Packing : 100 Pcs/Bag, 5000 Pcs/Pallet

Drop Forged Wing Nut With Round Plate



Features
Drop Forged, Mild Steel
Threaded Wing Nut
Size - 16mm
Finish : Electro Zinc Plated
Packing : 15Pcs/Bag, 800Pcs/Pallet

Combination Plate



Features
Drop Forged & Casted, Mild Steel
Threaded Wing Nut
Size - 14mm
Finish - Electro Zinc Plated
Packing : 15Pcs/Bag, 800Pcs/Pallet

Rapid Clamp



Features
Wedge Drop Forged
Body Malleable Casting
For 6mm to 8mm Rod
available in 280gm, 350gm, 420gm
Finish - Painted / Electroplated
Std. Packing - 50 Pcs/Bag

L Type Wing Nut



Features
Size : 16mm
Finish : Self or Zinc Plated
Std. Packing : 200Pc /Bag

ACCESSORIES

Tie Rod



Features
Thread 2.5 TPI
15, 17, 20 mm OD
Length 1lpto 4mtrs
Finish - Golden Electroplated or Self Finish
Std. Packing - Bundles Only

Drop Forged Wedge For Rapid Clamp



Features
Made of EN or C-50 Steel
Available with or Without hardening self finish

Decking Adaptor



Features
Size : 48.5mm
Finish - Electro Zinc Plated
Packing : 15 pcs/Bag, 900 Pcs/Pallet

Coupler Welded With Center Pipe



Features
Drop Forged Couplers
Flange Nut 22mm
1ee Bolts - Bolt M14 x 65mm
Finish - Hot Dip Galvanized
Packing - 10pcs/Bag, 500 Pcs/Pallet

Anchor Nut



Features
Casted
Thread 2.5 TPI
15, 17, 20 mm OD
Available in 90mm, 100mm, 125mm & also 2-wing & 3-wing
Finish - Golden Electroplated or Self Finish
Std. Packing - 100Pcs/Bag

Drop Forged Top Cup



Features
4 Leg
Weights available - 300, 330, 350, upto 500grams
Self Finish
Std. Packing - 50Pcs/Bag, 2000 Pcs/ Pallet

Cast Top Cup



Features
3 Leg
Weights available - 300, 330, 350, 350, upto 500grams
Self Finish
Std. Packing - 50Pcs/Bag, 2000 Pcs/ Pallet

Pressed Bottom Cup



Features
Self finish
Sizes (mm) : 20x5 , 25x4

Drop Forged Ledger Blade With Hole



Features
Weights available - 150, 200, 225, 240 Grams
Std. packing - 100 Pcs/Bag, 4000 Pcs/ Pallet
Self Finish
Also available without Hole

Omega Blade End



Features
Drop Forged, Mid Steel
Finish-Self Finish / Hot Dip Galvanized /
Zinc Plated
Packing : 100Pcs/bag

Ledger Blade



Features
Weights available - 150, 200, 225, 240 Grams
Std. packing - 100 Pcs/Bag, 4000 Pcs/ Pallet
Self Finish
Also available without Hole

Swivel Brace End



Features
Drop Forged, Mid Steel
Finish-Self Finish / Hot Dip Galvanized /
Zinc Plated
Packing : 100Pcs/bag

BASED JACK

Solid universal jack



Features
With M0 Cut Nut
Size Available
- 460 x 32mm
- 670x 32mm
- 750 x 32mm
- 460 x 36mm
- 670 x 36mm
- 750 x 36mm

Finish - Self Finish
or Zinc Plated

Solid Base Jack



Features
With M0 Cut Nut
Size Available
- 460 x 32mm
- 670x 32mm
- 750 x 32mm
- 460 x 36mm
- 660 x 36mm
- 750 x 36mm

Plate - 150 x 150 x 6, 120 x 5 mm
Finish - Self Finish or Zinc Plated

Solid Wide U Head Jack



Features
With M0 Cut Nut
Tube - 48.3mm
Size - 100mm
Wedded Half Coupler
Finish - Electro Zinc Plated
Packing - 150Pcs/Pallet

Solid U Head Jack



Features
With M0 Cut Nut
Size Available
- 460 x 32mm
- 670x 32mm
- 750 x 32mm
- 460 x 36mm
- 670 x 36mm
- 750 x 36mm

U Size - 100 x 100 x 5mm
(Thickness
Finish - Self Finish or Zinc Plated

Solid Wide U Head Jack



Features
With M0 Cut Nut
Size Available
- 460 x 32mm
- 460 x 32mm
- 750 x 32mm
- 460 x 36mm
- 670 x 36mm
- 750 x 36mm

Wide U Size - 185 x 150 x 75 x
6mm (Thick)
Finish - Self Finish or Zinc Plated

Fork Head Jack



Features
With M0 Cut Nut
38X4300mm
Plate - 230X15mm
Finish-Not Dip Galvanised
[Zinc Plated

Hollow Universal jack



Features
With Drop Forged Jack Nut
Size Available
Size available
- 460 x 38 x 4 mm
- 660 x 38 x 4 mm
- 760 x 38 x 4 mm

Finish - Zinc Plated

Hollow Base Jack



Features
With Drop Forged Jack Nut
Size Available
- 450 x 38 x 4 mm
- 460 x 38 x 4 mm
- 460 x 38 x 4 mm
- 760 x 38 x 4 mm

Plate - 150 x 150 x 5 mm
Finish - Zinc Plated

Solid U Head Jack Heavy Duty (With Extra Base Plate)



Features
Size - 38x65mm
With Drop Forged Jock Plate
Size - 150x150x8mm
Double Step jack nut for 48 & 60mm
Finish : Electro Zinc Plated
Packing : 150 Pcs/Pallet

Hollow U Base Jack



Features
With Drop Forged Jack Nut
Size Available
- 600 x 38 x 4 mm
- 660 x 38 x 4 mm
- 760 x 38 x 4 mm

U Head Size - 120 x 120 x 50 mm
Finish - Zinc Plated

Hollow Swivel Base Jack



Features
With Drop Forged Jack Nut
Size Available
- 600 x 38 x 4 mm
- 660 x 38 x 4 mm
- 760 x 38 x 4 mm

Plate Size - 150 x 150 x 6 mm
Finish - Zinc Plated

Hollow Swivel Base Jack



Features
With Drop Forged Jack Nut
Size Available
- 660 x 38 x 4 mm
- 660 x 38 x 4 mm
- 760 x 38 x 4 mm

Plate Size - 150 x 150 x 6 mm
Finish - Zinc Plated

Solid Base Jack- Heavy Duty



Features
Size - 38x62mm
Base Plate - 200x200x8mm
Double Step Jack Nut for 48 &
60mm
Finish : Electro Zinc Plated
packing : 160 Pcs/Pallet

ACCESSORIES

Anchor Cone



Features
Size : 16mm or Custom Also Available
Finish : Zinc Plated
Std. Packing : 100 Pc /Bag

Single Wailing Clamp



Features
Thickness : 435mm
Size : Suitable to 4800
Finish : Self or Zinc Plated
Std. Packing : 100 Pc /Bag

R.Pin (Sping Lock Pin)



Features
Size : 16mm
Finish : Zinc Plated
Std. Packing : 200 Pc /Bag

Spigot With Washer



Features
Thickness : 2mm
Size : 3600
Finish : Self or Zinc Plated
Std. Packing : 100 Pc /Bag

Stub Pin With Wedge



Features
Size : 16X50mm
Finish : Zinc Plated
Std. Packing : 800Pc/Pin) /Bag
1600 Pcs(Wedge) / Bag

Tool Box



Features
S33X24X216mm tool box that helps to store many tools at once in a single place.
This toolbox is equipped with metal latches for the lock system.

Gogo Machine / Ferrule Dolly



Features
Size : 16mm
Finish : Colour Coated
Std. Packing : 50Pc/Bag
Weight Available : 1Kg, 1.5Kg, 2Kg

Connecting Pin



Features
Size : 16mm X 120mm
Finish : Zinc Plated
Std. Packing : 200 Pc /Bag

Ring Lock Accessories



Features
Size : Suitable to 4800
Finish : Self or Zinc Plated
Std. Packing : 100Pc/Bag
Ring Rosette : Sheet Metal
Wedge : Sheet Metal
Ledger End : Forged or Ic (Casted)
Brace End : Forged or Ic (Casted)

Formwork Nut



Features
Size : 12mm or Custom Also Available
Finish : Zinc Plated
Std. Packing : 100 Pc /Bag

ACCESSORIES

Beam Clamp



Features
Size : 8 & 10 mm
Finish : Self & Zinc Plated
Std. Packing : 100 Pc /Bag
Casted

Waller Bracket



Features
Formwork clamp waler bracket is used to fix the pipe, fast and easy to operate.There are different size for choosing. With curved wedge or straight wedge and full ttesnomimal tie to lock,aluminium formwork panel during walt concrete formwork

Prop Plate



Features
Size : 120 X 120 X 4mm
Finish : Self or Zinc Plated
Std. Packing : 50 Pc /Bag

PVC Caps



Features
Size : 8-16mm , 8-32mm , 32mm
Std. Packing : 400 Pc /Bag

Base Plate With Welded Pipe



Features
Size : 150 X 150 X 5mm & 3800
Finish : Self or Zinc Plated
Std. Packing : 20Pc/Bag

Cube Mould



Features
Size : 150 X 150 X 150mm
Finish : 0 Cast Iron
Std. Packing : Loose Boxes

ERW Scaffolding Pipes



Features
Sizes Available
-38.1 OD
-48.3 OD
-60.3 OD
Finish - Galvanized / Self Finish / Painted

Walkway Challi



Features
Size : 25 X 25 X 2mm
Finish : Colour Coated or Galvanised
Length & Width as Per Customer Demand

Plank



Features
Sizes Available
-225 x 38 x 2 x 1000mm
-225 x 38 x 2 x 1500mm
-225 x 38 x 2 x 2000mm
-225 x 38 x 2 x 3000mm
-225 x 38 x 2 x 4000mm
Finish - Galvanized / Self Finish / Painted

G-Pin



Features
Size : 10mm, 12mm, 14mm, 16mm
Finish : Coated or Zinc Galvanised
Std. Packing : 200Pc per Bag

ACCESSORIES

Span Bolt



Features
Size : V2 & 5/8mm
Finish : Het Forged
Std. Packing : 250 Pc /Bag

Wedge Clip



Features
Thickness : 3mm & 5mm
Finish : Self or Zinc Galvanised
Std. Packing : 800 Pc /Bag

Spigot Pin



Features
38 00
2mm Thickness

Bridge Clamp



Features
Thickness : 4mm & 5mm
Finish : Colour Coated or E2P
Std. Packing : 25 Pc /Bag

Panel Puller



Features
Thickness : 5mm
Finish : Self or Colour Coated
Std. Packing : 5 Pc /Bag

Tie Puller



Features
Thickness : 5mm
Finish : Self Finish & Colour Coated
Std. Packing : 5 Pc /Bag

Alignment Clamp



Features
Weight : 1.2 Kg
Finish : E2P Finish
Std. Packing : 15 Pc /Bag

Wheel Jack With Break



Features
Wheel Size : d"6 8"
Options : With Break & Without Break
Std. Packing : 4 Pc /Bag

Flange Clew



Features
Finish : E2P Finish
Styl: Packing : 25 Pc /Bag
160mm Threaded Rod
Heavy Duty Eye Bolt
Walded Flange Lock 25mm & 21mm

Fork Head



Features
Size : 240 X 150 X 5mm
220 X 135 X 5.5mm
Fishish : Zinc Plated / HD6

STRUCTURAL PRODUCTS

C-LOCK SYSTEM



Features

C-LOCK is a proven multi-purpose scaffold system which can be used for all forms efacessand support structures in the building and construction industries, shipbuilding, offshore constructionand industrial maintenance.

C-Lock provides major savings in erection and dismantling times thus minimizing on-sitescots.
When not in use, its modular construction ensures minimal space requirements for storage.

C-Lock's unique node point connection allows up to four horizontal members to beconnected to vertical action – without the use of nuts and bolts or wedges. The locking devices formed by two cups, a fixed lower cup which is welded to the vertical component at pre-locatedintervals and sliding upper cup.

The forged blade ends of the horizontal components are located into the lower cup, the uppercups moved down and rotated to secure the components in place and a hammer blow then resultsin a positive rigid connection

C-LOCK STANDARD / VERTICAL



LENGTH (M)	WEIGHT (KG)
1.8	8.4
2.0	9.50
2.3	10.90
2.5	11.90
2.8	13.34
3.0	14.30

C-LOCK LEDGER/HORIZONTAL



LENGTH (M)	WEIGHT (KG)
0.9	3.0
1.0	3.4
1.2	4.0
1.6	5.4
1.8	6.12
2.5	8.5

C-LOCK INTERMEDIATE TRANSOM



LENGTH (M)	WEIGHT (KG)
0.565	5.6
0.795	6.42
1.200	7.85
1.300	8.22
1.000	10.00
2.500	12.50

STRUCTURAL PRODUCTS

DROPED HEAD



Features

Drop Head with MCI Wedge Plate
Drop Head with Drop Forged
Wedge Plate
Finish-Painted

double headed jack



Features

Double Headed Jack Allows the decking panels and beams to be removed while leaving the support in place.

BS PROPS



Features

BS Props fully confirm to the requirements of BS 4074: 1982 and have been tested in accordance with BS 5507 Part 3: 1982.BS Props are manufactured from high quality material with a powder coated painted finish for long life and are highly resistant to site wear and tear.BS Prop can be used on all types of building construction or for any type of use where an adjustable load bearing member is required.The high tensile steel pin is located through a slot in the outer section and a hole on the inner section for coarse adjustment. The cast collar located below the pin gives fine adjustment for levelling or striking.The rolled thread ensures no loss of material or strength at this


Forged & Pressed
Steel Clamps